	- POPULATIO	N ESTIMAT	ES	LONG	G-TERM CARE		LOCAL HEAL	TH DEPARTM	MENTS			
Total 2002 Population 43,750			Community Options and MA Waiver Programs					Per 10,000				
Popula	tion per sq	uare mile	31				Staffing - FTE	Number	Populátion			
Count	y ranking i	n state (1-72) 51	COP MA_Waiver *	Clients	Costs	Total staff Administrative Professional staff Technical/Paraprof Support staff	18	4.1			
		,	,	COP	18	\$157,062	Administrative	3	0.7			
Age	Female		Total	MA Waiver *		·	Professional staff	9	2.1			
0-14	3,720	3,930	7,660	CIP1A	9	\$601,020	Technical/Paraprof	· 1	0.2			
15-19		1,700	3,300	CIP1B	92	\$1,294,157	Support staff	5	1.1			
20-24	1,240	1,250	2,490	MA Walver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	9	\$133,100						
25-29	1,010	1,000	2,010	COP-W	123	\$884,590	Funding Total Local Taxes		Per capita			
30-34	1,130	1,130	2,270	CSLA	4	\$31,954	Total	\$734,398	\$16.77			
35-39	1,520	1,470	2,990	Brain Injury	6	\$286,593	Local Taxes	\$538,534	\$12.29			
40-44	1,790	1,830	3,620	Total COP/Wvrs	261	\$3,388,475						
45-54	3,220	3,390	0,010				LIOLNOLD LOTABLISHMENTS					
55-64	2,520	2,550	5,070			waiver costs	_					
65-74	1,930	1,880	3,810	were paid as l	ocal_match	/overmatch	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	Capacity	Facilities			
75-84	1,590	1,120	2,710	using COP fund			Bed & Breakfast	12	4			
85+	860	370	1,240	not included i	In above CC	P costs.	Camps	1,330	40			
Total	22,130	21,630	43,750				Hoteis, Moteis	848	42			
	_ ,			* Waiver costs	reported	nere	Tourist Rooming	64	22			
Age		Male	Total	include feder	al tunding		POOTS		/			
0-17	4,660	4,900	9,570		014	Costs	Restaurants		92			
18-44	7,340	7,410	14,770	Flinible and	Clients	Costs	Vending		•			
45-64	5,740	5,940	11,680	Eligible and Waiting	66	2/2						
65+	4,380	3,370	7,760	warting	00	n/a						
Total	22,130	21,630	43,750	/Family Cana no	+ nnovidos	l in county)	WIC PAF	TTCTDANTC				
Boyonty	Estimates	for 2000		(Family Gare no	or browing	i in county)	WIC PAR	TITOTPANTS				
1	Ec+	imata	(C.I.+/-)						Number			
Δ11 2	ude Lgt	3 600	201 (6%) 92 (9%)	Note: Eligible	and waitin	a cliente	Pregnant/Postpartu	ım				
AII a	ges	0,009 8 3%	(6%)	will be phase	and wartin	COP and MA	Infants	AIII	423			
2an4	0-17	1 070	(0.0)	will be phase Waivers as av	ailahla	OOI AIIG WA	Children, age 1-4		765			
Ages	0 17	10.5%	(9%)	Walvers as av	allabic.		Total		1,619			
		10.00	(30)				10tu1		1,010			
	EMPL	OYMENT		1			CANCER INC	CIDENCE (20	000)			
Average	wage for jo	bs covere	d '	Home Health Age	encies	2	Primary Site	(, ,			
by unemp	loyment com	pensation	\$28.296	Patients		451 Ì	Breast		23			
Note: ha	end on blac	o of work	•	Dationts non 1	.qoq 000.0	103	Cervical		0			
	'		Annual	İ '	, , ,		Colorectal		25			
Labor Fo	rce Estimat	es	Average	Nursina Homes		7	Lung and Bronchus		35			
			3	Licensed beds		632	Prostate		75			
Civilia	n Labor For	ce	22,424	Occupancy rate)	88.4%	Other sites		70			
Numbe	r employed		20,827	Residents on D	ec.31	576	Total		228			
Numbe	r unempĺoye	d	1,597	Residents age	65 or olde	r						
Unem	ployment ra	te	7.1%	per 1,000 pop	oulation	70	Note: Totals shown					
				Nursing Homes Licensed beds Occupancy rate Residents on D Residents age per 1,000 pop			invasive cand	ers only.				

OTAL LIVE BIRTHS		395	NATA Birth Order	Births	Percent	Marital Status		
			First	154	39	of Mother	Births	Percent
rude Live Birth Rate	!	9.0	Second	137	35	Married	297	75
General Fertility Rate		47.6	Third	60	15	Not married	98	25
cheral referring hat	·C	47.0	Fourth or higher	44	11	Unknown	0	0
ive births with repo	ntod		Unknown	0	0	OHKHOWH	U	U
		3 0.8%	UIKIIOWII	U	U	Education		
congenital anomalies		3 0.8%	First Bassets1				Diameter.	
_			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or le	ss 3	. 1
Vaginal after			1st trimester	327	83	Some high school		11
previous cesarean	3	1	2nd trimester	56	14	High school	140	35
Forceps	3	1	3rd trimester	8	2	Some college	122	31
Other vaginal	296	75	No visits	3	1	College graduate	86	22
Primary cesarean	54	14	Unknown	1	<.5	Unknown	0	0
Repeat cesarean	39	10		-			_	_
Other or unknown	0	0	Number of Prenatal			Smoking Status		
ocitor of difficient	J	3	Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	3	1	Smoker	79	20
<1,500 gm	3	0.8	1-4	8	2	Nonsmoker	316	80
	21	5.3	5-9	50	13		0	0
1,500-2,499 gm						Unknown	U	U
2,500+ gm	371	93.9	10-12	154	39			
Unknown	0	0	13+ Unknown	179 1	45 <.5			
			Low Birthweight	1st Tr		ter of First Prenata		(1.1
			(under 2,500 gm)	IST IP		Ond Thimsates	O+ h a	
loop of Nothern) a 10 a a 15 ±				2nd Trimester	Other/	
Race of Mother	Births F		`Births Ṕercent´	Births	Percent	Births Percent	Births	Percent
White	389	98						
White Black	389 0	98 0	`Births Ṕercent´	Births 323	Percent 83	Births Percent 54 14 	Births	Percent
White Black Other	389 0 6	98 0 2	`Births Ṕercent´	Births	Percent	Births Percent	Births	Percent
White Black Other	389 0	98 0	`Births Ṕercent´	Births 323	Percent 83	Births Percent 54 14 	Births	Percent
White Black	389 0 6 0	98 0 2 0	`Births Percent' 24 6.2	Births 323 4	Percent 83 67 Trimest	Births Percent 54 14 2 33	Births 12	Percent 3
White Black Other Unknown	389 0 6 0 	98 0 2 0 	Births Percent 24 6.2	Births 323 4	Percent 83 67 Trimest imester	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester	Births 12	Percent 3
White Black Other Unknown	389 0 6 0 Fe Births	98 0 2 0 ertility Rate	`Births Percent' 24 6.2	Births 323 4	Percent 83 67 Trimest	Births Percent 54 14 2 33	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15	389 0 6 0 Fe Births 0	98 0 2 0 ertility Rate	Births Percent 24 6.2	Births 323 . 4 1st Tr Births	Percent 83 . 67 . Trimest imester Percent	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester Births Percent	Births 12	Percent 3
White Black Other Unknown	389 0 6 0 Fe Births 0 7	98 0 2 0 ertility Rate	Births Percent 24 6.2	Births 323 . 4 1st Tr Births . 4	Percent 83 67 Trimest imester	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15	389 0 6 0 Fe Births 0	98 0 2 0 	Births Percent 24 6.2	Births 323 . 4 1st Tr Births . 4 25	Percent 83 . 67 . Trimest imester Percent . 57 78	Births Percent 54 14 . 2 33	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15 15-17	389 0 6 0 Fe Births 0 7	98 0 2 0 ertility Rate 7	Births Percent 24 6.2	Births 323 . 4 1st Tr Births . 4	Percent 83 . 67 . Trimest imester Percent . 57	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester Births Percent 2 29	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15 15-17 18-19	389 0 6 0 Fe Births 0 7 32 107	98 0 2 0 	Births Percent 24 6.2	Births 323 . 4 1st Tr Births . 4 25	Percent 83 . 67 . Trimest imester Percent . 57 78 80	Births Percent 54 14 . 2 33	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15 15-17 18-19 20-24 25-29	389 0 6 0 Fe Births 0 7 32 107 125	98 0 2 0 	Births Percent 24 6.2 Low Birthweight (under 2,500 gm) Births Percent 2 28.6 2 6.3 8 7.5 6 4.8	Births 323	Percent 83 . 67 . Trimest imester Percent . 57 78 80 86	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester Births Percent 2 29 4 13 18 17 17 14	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15 15-17 18-19 20-24 25-29 30-34	389 0 6 0 Fe Births 0 7 32 107 125 87	98 0 2 0 	Births Percent 24 6.2 Low Birthweight (under 2,500 gm) Births Percent 2 28.6 2 6.3 8 7.5 6 4.8 4 4.6	Births 323 4	Percent 83 . 67 . Trimest imester Percent . 57 78 80 86 85	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester Births Percent 2 29 4 13 18 17 17 14 10 11	Births 12	Percent 3
White Black Other Unknown 	389 0 6 0 	98 0 2 0 	Births Percent 24 6.2 Low Birthweight (under 2,500 gm) Births Percent 2 28.6 2 6.3 8 7.5 6 4.8 4 4.6 2 6.9	Births 323	Percent 83 . 67 . Trimest imester Percent . 57 78 80 86 85 83	Births Percent 54 14 . 2 33	Births 12	Percent 3
White Black Other Unknown Ge of Mother <15 15-17 18-19 20-24 25-29 30-34	389 0 6 0 Fe Births 0 7 32 107 125 87	98 0 2 0 	Births Percent 24 6.2 Low Birthweight (under 2,500 gm) Births Percent 2 28.6 2 6.3 8 7.5 6 4.8 4 4.6	Births 323 4	Percent 83 . 67 . Trimest imester Percent . 57 78 80 86 85	Births Percent 54 14 2 33 ter of First Prenata 2nd Trimester Births Percent 2 29 4 13 18 17 17 14 10 11	Births 12	Percent 3

MORBIDITY	Note: Death rates ((except i	nfant) are	per 100,000 population.	Infant,				
REPORTED* CASES OF SELECTED DISEASES	neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.								
Disease Number	TOTAL DEATHS		502	Selected					
Campylobacter Enteritis 13	Crude Death Ra	ate	1,147	Underlying Cause	Deaths	Rate			
Giardiasis 11			•	Heart Disease (total)	161	368			
Hepatitis Type A 0				Ischemic heart disea		272			
Hepatitis Type B** 0		Deaths	Rate	Cancer (total)	103	235			
Hepatitis NANB/C 18	1-4	1		Tracheà/Bronchus/Lun	g 34	78			
Legionnaire's <5		2		Colorectal	5	•			
Lyme <5	15-19	1		Female Breast	8	. *			
Measles 0	20-34	12	:	Cerebrovascular Disea		69			
Meningitis, Aseptic <5	35-54	37	280	Lower Resp. Disease	24	55			
Meningitis, Bacterial 0		45	887	Pneumonia & Influenza	8				
Mumps 0 Pertussis 0	05-74	85	2,234	Accidents	25	57			
Pertussis 0 Salmonellosis 20		154	5,678	Motor vehicle Diabetes	12 20	46			
Salmonerrosis 20 Shigellosis <5		163	13,194	Infect./Parasitic Dis	. 5	. •			
Tuberculosis 0				Suicide	. s	•			
Tubel curosis	Infant			Sarciae	0	•			
* 2002 provisional data	Mortality	Deaths	Rate	* Rate for female bre	ast cancer	hasad			
** Includes all positive HBsAg	Total Infant	2	nacc.	on female popul		basca			
test results	Total Infant Neonatal	2	•	on remare popul	uc10111				
1001 100410	Postneonatal	-		ALCOHOL AND DRUG ABUS	F AS UNDER	LYTNG			
	Unknown	•	•	OR CONTRIBUTING CA					
Sexually Transmitted Disease									
Chlamydia Trachomatis 41	Race of Mother			Alcohol	5				
Genital Herpes 17		2		Alcohol Other Drugs Both Mentioned	4				
Gonorrhea 8	Black			Both Mentioned	2				
Syphilis 0	0 21101								
	Unknown	•	•	MOTOR VEHIC	LE CRASHES				
	Birthweight			Note: These data are	based on	location			
IMMUNIZATIONS	- <1 500 am	1		of crash, not					
	1,500-2,499 gm	1		ĺ					
Children in Grades K-12 by	2,500+ gm			Type of Motor	Persons I	Persons			
Compliance Level	Uńknown			Véhicle Crash	Injured	Killed			
Compliant 7,785				Total Crashes	484	16			
Compliant 7,785 Non-compliant 36 Percent Compliant 99.5				Type of Motor Vehicle Crash Total Crashes Alcohol-Related	103	11			
Percent Compliant 99.5	Perinatal			With Citation:					
	Mortality	Deaths	Rate	For OWI	80				
	Total Perinatal	6		For Speeding	14				
	Total Perinatal Neonatal Fetal	2	•	For Speeding Motorcyclist Bicyclist	20	3			
	Fetal	4	•	Bicyclist Pedestrian	9	0			
	I			Pedestrian	12	2			

			Average		HOSPITA Charge	1		Per	Average		Charge
DISEASE /		1,000	Stay	Average	Per	DISEASE /		1,000	Stay	Average	Per
AGE GROUP	Number	Р́ор	(Days)		Capita	AGE GROUP	Number	Р́ор	(Days)	Charge	Capita
Injury-Related:	A11					 Alcohol-Related	I				
	461	10.5	4.6	\$15,448	\$163	Total	126	2.9	3.8	\$4,932	\$14
<18	37	3.9		\$9,186	\$36	18-44	53	3.6	4.3	\$5,431	\$20
18-44	128	8.7	4 2	\$15,066	\$131	45-64	56	4.8	3.1	\$4,121	\$20
45-64	84	7.2		\$18,925	\$136	Pneumonia and I		7.0	0.1	Ψ+, 121	Ψ20
65+	212	27.3	4 9	\$15,395	\$421	Total	152	3.5	4.6	\$8,976	\$31
Injury: Hip F		27.0	4.5	Ψ10,000	Ψ+21		20	2.1	4.1	\$9,395	\$20
Total	65	1.5	4 8	\$16,714	\$25	45-64	24	2.1	3.9	\$7,892	\$16
65+	62	8.0	4.0	\$16,794	\$134	45-64 65+	97	12.5	5.1	\$9,460	\$118
Injury: Poiso		0.0	4.9	φ10,794	φ104	Cerebrovascular		12.5	5.1	ψ9,400	ψιιο
Total	36	0.8	1.4	\$4,232	\$3	Total	141	3.2	3.7	\$11,280	\$36
18-44	24	1.6	1.5	\$4,232 \$4,672	\$8	45-64	28	2.4	4.7		\$30 \$45
10-44	24	1.0	1.5	\$4,07Z	ФО	45-64 65+	109	14.1	3.5	Φ10,370 Φ0 465	\$133
Dovobiotoio										\$9,465	\$133
Psychiatric	070	6.0	7.0	Φ 7 011	C 4 4	Chronic Obstruc				ф т 701	016
Total	272	6.2	7.8	\$7,011	\$44	Total <18 18-44 45-64 65+ Drug-Belated	90	2.1	3.9	\$7,701	\$16
<18	67	7.0	6.4	\$5,643	\$40	<18	16	•		•	
18-44	143	9.7	7.8	\$6,504	\$63	18-44	10	• •			
45-64	30	2.6	9.7	\$9,595	\$25	45-64	27			\$7,492	\$17
65+	32	4.1	9.1	\$9,713	\$40	65+	37	4.8	4.4	\$9,977	\$48
						l Diag lictatea					
Coronary Heart	Disease					Total	26	0.6	15.3	\$10,063	\$6
Total	308	7.0	3.5	\$20,176	\$142	18-44	14			•	
45-64		8.0	3.1	\$20,953	\$169		_				
65+							zations				_
						Total	5,362	122.6		\$10,676	
Malignant Neopl	Lasms (Car		All			l <18	704	73.6	3.5		\$377
Total	230	5.3		\$18,020	\$95	18-44		87.3	3.4		\$699
18-44	23	1.6	6.3	\$21,716	\$34	45-64 65+		98.8	4.2	\$13,700	\$1,354
18-44 45-64	72	6.2	6.0	\$18,412	\$114	65+	2,216	285.9	4.4	\$12,417	\$3,550
65+	134	17.3	5.6	\$16,899	\$292						
Neoplasms: Fe	emale Brea	ast (ra	ites for	femále po	pulation)	PR	EVENTABLE	HOSPI1		ONS*	
Total	12					Total	615	14.1	3.6	\$7,063	\$99
Neoplasms: Co	lo-rectal	<u>L</u>				<18	71	7.4	2.7	\$4,625	\$34
Total	34	0.8	9.4	\$25,238	\$20	18-44	83	5.6	3.3	\$7,620	\$43
65+	26	3.4		\$25,537	\$86	18-44 45-64	122		3.5	\$8,201	\$86
Neoplasms: Lu			-	,	+	65+	339	43.7		\$7,028	\$307
Total	23	0.5	5.2	\$14,675	\$8		230			7.,-20	+
Diabetes						 * Hospitalizations	for cond	itione	where +	imelv and	effecti
Total	47	1.1	4.3	\$9,611	\$10	ambulatory care ca	n reduce	the lil	where t	of hospi	talizati
65+	17	1.1		ψ϶,υιι	·	amburatory care ca	iii i euuce	CIIC TT	CTTHOOG	or moshi	CATIZACI
00,	17	•	•	•	•						